

## Supplementary file 1 to: The phylogeography of moist forests across Eastern Zimbabwe

Jonathan R. Timberlake, Françoise Dowsett-Lemaire & Tom Müller

*Plant Ecology and Evolution* 154(2), 2021

**Supplementary file 1** – The 211 woody species > 8 cm dbh recorded in 176 forest plots across moist forests of Eastern Zimbabwe, with indications of their life-form and phylogeographical affiliation (pdf).

Presence and frequency/dominance across the various forest types are also shown.

Life-forms: em – emergent; ct – canopy tree; sct – subcanopy tree; ust – understory tree; s – shrub; li – liana

Chorology: <sup>1</sup> chorological category for species as a whole; <sup>2</sup> chorological category for subspecies only

Forest type occurrences: X = present in type and with ≥ 1% of total basal area of type; O = present but < 1% of basal area of type

Note: Forest type 3 (*Widdringtonia nodiflora*) is not included as no plots were recorded.

Family	Species [initial recorded name]	life form	chorological element	# plots in which found	Forest types											
					1	2	4	5	6	7	8	9	10	11	12	
Fabaceae: Mimosoideae	<i>Acacia abyssinica</i> Benth.	ct	Afromontane endemic	1									X			
Cornaceae	<i>Afrocrania volkensii</i> (Harms) Hutch.	ct	Afromontane endemic	15	O	X	O			X	X			O		
Rubiaceae	<i>Aidia micrantha</i> (K.Schum.) F.White var. <i>msonju</i> (K.Krause) Petit [= <i>Randia micrantha</i> K.Schum.]	ust	Guineo-Congolian linking <sup>1</sup>	33				O						X	X	
Fabaceae: Mimosoideae	<i>Albizia adianthifolia</i> (Schumach.) W.Wight	ct	Guineo-Congolian linking	5								O		O	O	
Fabaceae: Mimosoideae	<i>Albizia glaberrima</i> (Schumach.& Thonn.) Benth. var. <i>glabrescens</i> (Oliv.) Brenan	ct	African linking <sup>1</sup>	1										O		
Fabaceae: Mimosoideae	<i>Albizia gummifera</i> (J.F.Gmel.) C.A.Sm.	ct	Afromontane near-endemic	40				O	X	X		X	O	X	O	

Family	Species [initial recorded name]	life form	chorological element	# plots in which found	Forest types											
					1	2	4	5	6	7	8	9	10	11	12	
Fabaceae: Mimosoideae	<i>Albizia schimperiana</i> Oliv.	em, ct	Afromontane near-endemic	15					X	X	X	X	X	O		
Euphorbiaceae	<i>Alchornea hirtella</i> Benth.	ust	Guineo-Congolian linking	10			O	O		O				O	O	
Sapindaceae	<i>Allophylus abyssinicus</i> (Hochst.) Radlk.	sct	Afromontane endemic	18		X		O	X	O		X				
Sapindaceae	<i>Allophylus chaunostachys</i> Gilg	ust	Afromontane endemic	1										O		
Sapindaceae	<i>Allophylus chirindensis</i> Baker f.	ust	Eastern endemic	2										O		
Gentianaceae	<i>Anthocleista grandiflora</i> Gilg	em, ct	Sub-Afromontane near-endemic	15				X		O				O	O	
Phyllanthaceae	<i>Antidesma membranaceum</i> Müll.Arg.	ust	Guineo-Congolian linking	2											O	
Phyllanthaceae	<i>Antidesma vogelianum</i> Müll.Arg.	s	Guineo-Congolian linking	2										O		
Aphloiaceae	<i>Aphloia theiformis</i> (Vahl) Benn.	sct	Afromontane endemic	102	X	X	X	X	X	X	O	O	O	O	O	
Icacinaceae	<i>Apodytes dimidiata</i> Arn. var. <i>dimidiata</i>	ust	Afromontane near-endemic <sup>1</sup>	24	X	O	O	O	O	O				O	O	
Sapindaceae	<i>Aporrhiza paniculata</i> Radlk. [= <i>A. nitida</i> Gilg]	sct	Eastern near-endemic	16										O	X	
Melianthaceae	<i>Bersama abyssinica</i> Fresen. subsp. <i>nyassae</i> (Baker f.) F. White	ct	Afromontane endemic <sup>2</sup>	4										O	O	
Melianthaceae	<i>Bersama swynnertonii</i> Baker f.	sct	Sub-Afromontane endemic	12				O	X					O	O	
Sapindaceae	<i>Blighia unijugata</i> Baker	ust	Guineo-Congolian linking	9										O	O	
Fabaceae: Caesalpinioideae	<i>Brachystegia spiciformis</i> Benth.	ct	Zambeian near-endemic	1										O		
Fabaceae: Caesalpinioideae	<i>Brachystegia tamarindoides</i> Benth. subsp. <i>microphylla</i> (Harms) Chikuni [= <i>B. microphylla</i> Harms]	ct	Zambeian endemic <sup>2</sup>	1											O	
Rubiaceae	<i>Breonadia salicina</i> (Vahl) Hepper & J.R.I. Wood [= <i>Adina microcephala</i> Delile]	ct	African linking	5											X	
Phyllanthaceae	<i>Bridelia micrantha</i> (Hochst.) Baill.	sct	Guineo-Congolian linking	4			O							O	O	
Scrophulariaceae	<i>Buddleja salviifolia</i> (L.) Lam.	s	Afromontane near-endemic	2	O											
Rutaceae	<i>Calodendrum capense</i> (L.f.) Thunb.	sct	Sub-Afromontane near-endemic	4		O				O						
Fabaceae: Papilionoideae	<i>Calpurnia aurea</i> (Aiton) Benth. subsp. <i>aurea</i>	ust	Afromontane near-endemic <sup>2</sup>	7	O	O	O			O		O				
Rubiaceae	<i>Canthium inerme</i> (L.f.) Kuntze	s	African linking	8				O	O	O		O				

Family	Species [initial recorded name]	life form	chorological element	# plots in which found	Forest types											
					1	2	4	5	6	7	8	9	10	11	12	
Rubiaceae	<i>Canthium kuntzeanum</i> Bridson [incl. <i>C. pauciflorum</i> (Eckl. & Zeyh.) Kuntze]	ust	Afromontane endemic	9	O	O	O									
Rubiaceae	<i>Canthium oligocarpum</i> Hiern subsp. <i>angustifolium</i> Bridson	sct	Afromontane endemic <sup>2</sup>	13	O		O	O		O						
Apocynaceae	<i>Carissa bispinosa</i> (L.) Brenan subsp. <i>zambesiensis</i> Kupicha	s	Afromontane endemic <sup>2</sup>	1				O								
Salicaceae	<i>Casearia battiscombei</i> R.E.Fr.	ct	Afromontane endemic	19				O	O	O	O	O	O	O	O	
Icacinaceae	<i>Cassinopsis ilicifolia</i> (Hochst.) Kunze [= <i>Cassine ilicifolia</i> Hochst.]	ust	Afromontane near-endemic	1			O									
Icacinaceae	<i>Cassinopsis tinifolia</i> Harv.	ust, s	Eastern endemic	8				O	O	O					O	
Rhizophoraceae	<i>Cassipourea gummiflua</i> Tul. var. <i>verticillata</i> (N.E.Br.) J.Lewis	ct	Afromontane near-endemic <sup>1</sup>	47	O		O	O	O	O	X	O		O		
Rhizophoraceae	<i>Cassipourea malosana</i> (Baker) Alston [= <i>C. congoensis</i> auct.]	ct	Afromontane near-endemic	86	X	O	X	X	O	X	X	O	O	O	O	O
Celastraceae	<i>Catha edulis</i> (Vahl) Endl.	ust	Afromontane near-endemic	5						O			O	O	O	
Ulmaceae	<i>Celtis africana</i> Burm.f.	sct	African linking	23		O				O		X	X	X	O	
Ulmaceae	<i>Celtis gomphophylla</i> Baker	ct	Guineo-Congolian linking	13										X	O	
Ulmaceae	<i>Celtis mildbraedii</i> Engl.	ct	Guineo-Congolian linking	8										O		
Oleaceae	<i>Chionanthus battiscombei</i> (Hutch.) Stearn [= <i>Linociera battiscombei</i> Hutch.]	ust	Afromontane near-endemic	6				O		O						
Oleaceae	<i>Chionanthus foveolatus</i> (E.Mey.) Stearn subsp. <i>major</i> (I. Verd.) Stearn [= <i>Linociera foveolata</i> (E.Mey.) Knobl.]	ct	Afromontane endemic <sup>2</sup>	12	O	O	O	O		O					O	
Sapotaceae	<i>Chrysophyllum gorungosanum</i> Engl.	ct	Afromontane endemic	38				O	O	X	O		O	X		
Sapotaceae	<i>Chrysophyllum viridifolium</i> J.M. Wood & Franks	sct	Eastern endemic	3										O		
Rutaceae	<i>Clausena anisata</i> (Willd.) Benth.	s	Guineo-Congolian linking	32	O	O	O	O	O	O	O	O	O	O		
Phyllanthaceae	<i>Cleistanthus polystachyus</i> Planch. subsp. <i>milleri</i> (Dunkley) Radcl.-Sm. [= <i>C. apetalus</i> S.Moore]	sct	Guineo-Congolian linking <sup>2</sup>	9											O	X
Lamiaceae	<i>Clerodendrum cephalanthum</i> Oliv. subsp. <i>swynnertonii</i> (S.Moore) Verdc. [= <i>Clerodendrum violaceum</i> sensu Muller]	ust	Sub-Afromontane endemic <sup>2</sup>	1						O						

Family	Species [initial recorded name]	life form	chorological element	# plots in which found	Forest types											
					1	2	4	5	6	7	8	9	10	11	12	
Malvaceae	<i>Cola greenwayi</i> Brenan	sct	Afromontane near-endemic	22				O	O	O	X	O		O		
Combretaceae	<i>Combretum coriifolium</i> Engl.& Diels	li	Eastern endemic	3											O	
Combretaceae	<i>Combretum molle</i> G.Don	sct	Zambeziian near-endemic	2											O	
Rubiaceae	<i>Coptosperma rhodesiacum</i> (Bremek.) Degreef [= <i>Tarenna zimbabwensis</i> Bridson]	ust	Afromontane near-endemic	1										O		
Fabaceae: Papilionoideae	<i>Craibia brevicaudata</i> (Vatke) Dunn subsp. <i>baptistarum</i> (Büttner) J.B.Gillett	ct	Sub-Afromontane endemic	45				O	O	X	X	X	O	X		
Rubiaceae	<i>Craterispermum schweinfurthii</i> Hiern [= <i>C. laurinum</i> auct.]	sct	Guineo-Congolian linking	18											X	
Rubiaceae	<i>Cremaspora triflora</i> (Thonn.) K.Schum. subsp. <i>triflora</i> [= <i>C. caffra sensu Muller</i> ]	ust	Guineo-Congolian linking <sup>2</sup>	3											O	
Euphorbiaceae	<i>Croton sylvaticus</i> C.Krauss	ct	Guineo-Congolian linking	66	O		O	X	X	X	X	X	X	X	O	
Lauraceae	<i>Cryptocarya liebertiana</i> Engl.	ct	Afromontane endemic	32	X		O	X	O	X		O	O	O		
Cornaceae	<i>Curtisia dentata</i> (Burm.f.) C.A.Sm.	sct	Afromontane endemic	29	X	O	X	O	X	X	O			O		
Araliaceae	<i>Cussonia spicata</i> Thunb.	sct	Afromontane near-endemic	20		O		O	O	O		O	O	O	O	
Cyatheaceae	<i>Cyathea capensis</i> (L.f.) Sm.	ust	Afromontane endemic	3			O	O								
Cyatheaceae	<i>Cyathea dregei</i> Kunze [= <i>Alsophila dregei</i> (Kunze) R.M.Tryon]	ust	Afromontane near-endemic	13		O	O	O	O	O						
Cyatheaceae	<i>Cyathea manniana</i> Hook.	ust	Sub-Afromontane near-endemic	3			O			O						
Thymelaeaceae	<i>Dais cotonifolia</i> L.	ust	Afromontane endemic	1						O						
Rubiaceae	<i>Didymosalpinx norae</i> (Swynn.) Keay	s	Eastern endemic	1										O		
Ebenaceae	<i>Diospyros abyssinica</i> (Hiern) F.White subsp. <i>abyssinica</i>	ct	African linking <sup>2</sup>	16						O				X		
Ebenaceae	<i>Diospyros ferrea</i> (Willd.) Bakh.	sct	Guineo-Congolian linking	7										O	O	
Ebenaceae	<i>Diospyros natalensis</i> (Harv.) Brenan	ust	Eastern endemic	3						O				O		
Ebenaceae	<i>Diospyros whyteana</i> F.White	ust	Afromontane near-endemic	59	X	X	X	O	O	X	O		O	O		
Salicaceae	<i>Dovyalis lucida</i> Sim	ust	Afromontane near-endemic	48	O	O	O	O	O	O	O	O		O		
Salicaceae	<i>Dovyalis macrocalyx</i> (Oliv.) Warb.	ust	Afromontane near-endemic	5								O		O	O	
Dracaenaceae	<i>Dracaena mannii</i> Baker [incl. <i>D. nitens</i> Baker, <i>D. reflexa</i> Lam.]	ust	Guineo-Congolian linking	11										O	O	
Dracaenaceae	<i>Dracaena steudneri</i> Engl.	ust	Sub-Afromontane near-endemic	14		O				O	X	X	X	O		

Family	Species [initial recorded name]	life form	chorological element	# plots in which found	Forest types												
					1	2	4	5	6	7	8	9	10	11	12		
Putranjivaceae	<i>Drypetes arguta</i> (Müll.Arg.) Hutch.	ust	Eastern endemic	11													O
Putranjivaceae	<i>Drypetes gerrardii</i> Hutch. var. <i>gerrardii</i>	sct	Afromontane near-endemic <sup>1</sup>	11												X	
Putranjivaceae	<i>Drypetes natalensis</i> (Harv.) Hutch. var. <i>natalensis</i>	sct	Eastern endemic <sup>1</sup>	15												O	O
Boraginaceae	<i>Ehretia cymosa</i> Schumach. var. <i>divaricata</i> (Baker) Brenan	sct	Guineo-Congolian linking <sup>1</sup>	5									O		O		
Meliaceae	<i>Ekebergia capensis</i> Sparrm.	ct	African linking	66	X	X	X	X	X	X	X			X	O		
Celastraceae	<i>Elaeodendron croceum</i> (Thunb.) DC. [= <i>Cassine papillosa</i> (Hochst.) Kuntze]	sct	Afromontane near-endemic	19		O		O	O	O				O	O	O	
Sapotaceae	<i>Englerophytum magalismontanum</i> (Sond.) T.D.Penn. [= <i>Bequaertiodendron magalismontanum</i> (Sond.) Heine & J.H.Hemsl.]	sct	Guineo-Congolian linking	59			O	O	O	X	O	O			X	X	
Sapotaceae	<i>Englerophytum natalense</i> (Sond.) T.D.Penn. [= <i>Bequaertiodendron natalense</i> (Sond.) Heine & J.H.Hemsl.]	sct	Eastern endemic	3											O		
Ericaceae	<i>Erica hexandra</i> (S.Moore) E.G.H.Oliv. [= <i>Phillipia hexandra</i> S.Moore]	s	Afromontane endemic	1	O												
Fabaceae: Papilionoideae	<i>Erythrina lysistemon</i> Hutch.	sct	Sub-Afromontane endemic	1										X			
Euphorbiaceae	<i>Erythrococca polyandra</i> (Pax & K.Hoffm.) Prain	sct	African linking	13	O		O		O	O							
Fabaceae: Caesalpiniodeae	<i>Erythrophleum suaveolens</i> (Guill. & Perr.) Brenan [incl. <i>E. lasianthum</i> ]	ct	Guineo-Congolian linking	13						O							X
Erythroxylaceae	<i>Erythroxylum emarginatum</i> Thonn.	ust	African linking	57	O		X	X	O	X	O			O	O		
Ebenaceae	<i>Euclea crispa</i> (Thunb.) Gürke subsp. <i>crispa</i>	s	African linking <sup>1</sup>	1										O			
Myrtaceae	<i>Eugenia natalitia</i> Sond. [= <i>E. capensis</i> (Eckl. & Zeyh.) Sond. subsp. <i>nyassensis</i> (Engl.) F.White]	ust	Uncertain	28	O	O	O	O	O	O	O			O	O		
Proteaceae	<i>Faurea rubriflora</i> Marner [= <i>F. forficuliflora</i> auct.]	ct	Afromontane endemic	12			X	O		O					O	O	
Moraceae	<i>Ficus craterostoma</i> Mildbr. & Burret	sct	Guineo-Congolian linking	27			O	O	O	O	O	O	O	O	O		
Moraceae	<i>Ficus exasperata</i> Vahl	ct	Guineo-Congolian linking	6											O	O	

Family	Species [initial recorded name]	life form	chorological element	# plots in which found	Forest types											
					1	2	4	5	6	7	8	9	10	11	12	
Moraceae	<i>Ficus lutea</i> Vahl [= <i>F. vogelii</i> (Miq.) Miq.]	ct	Guineo-Congolian linking	3											O	O
Moraceae	<i>Ficus sansibarica</i> Warb. subsp. <i>sansibarica</i> (incl. <i>F. chirindensis</i> C.C.Berg)	ct	Eastern endemic <sup>2</sup>	25		O		O		O	X	X	O	X		
Moraceae	<i>Ficus scassellatii</i> Pamp. subsp. <i>scassellatii</i> [= <i>F. kirkii</i> Hutch.]	ct	Eastern endemic <sup>1</sup>	13				O	X	O	O			X		
Moraceae	<i>Ficus sur</i> Forssk. [= <i>F. capensis</i> Thunb.]	ct	Guineo-Congolian linking	14						O		O	X	O	O	
Moraceae	<i>Ficus thonningii</i> Blume [incl. <i>F. rokko</i> Warb.& Schweinf.]	ct	Guineo-Congolian linking	5								X	X	O		
Moraceae	<i>Ficus vallis-choudae</i> Delile	ct	African linking	1												O
Sapindaceae	<i>Filicium decipiens</i> (Wight & Arn.) Thwaites	sct	Eastern endemic	6											O	X
Apocynaceae	<i>Funtumia africana</i> (Benth.) Stapf	sct	Guineo-Congolian linking	16												X
Clusiaceae	<i>Garcinia kingaensis</i> Engl. [= <i>G. mlanjensis</i> Dunkley]	sct	Afromontane endemic	36	O		O	O	O	X	X	O		X	O	
Celastraceae	<i>Gymnosporia buxifolia</i> (L.) Szyszyl. [incl. <i>Maytenus heterophylla</i> (Eckl.& Zeyh.) N.Robson]	s	African linking	18		O	O	O	O	O		O	O			
Celastraceae	<i>Gymnosporia mossambicensis</i> (Klotzsch) Loes. subsp. <i>mossambicensis</i> [= <i>Maytenus mossambicensis</i> (Klotzsch) Blakelock var. <i>mossambicensis</i> ]	s	Eastern endemic <sup>1</sup>	21		O	O	O	O	O			O	O		
Stilbaceae	<i>Halleria lucida</i> L.	ust	Afromontane near-endemic	29		X	X	O	O	O		O		O		
Clusiaceae	<i>Harungana madagascariensis</i> Poir.	ust	Guineo-Congolian linking	2											O	O
Rubiaceae	<i>Heinsenia diervilleoides</i> K.Schum. subsp. <i>diervilleoides</i> [= <i>Aulacocalyx diervilleoides</i> (K.Schum.) Petit]	sct	Afromontane endemic <sup>1</sup>	23				O		O		O		O	O	
Apiaceae	<i>Heteromorpha arborescens</i> (Spreng.) Cham.& Schldl. (incl. var. <i>abyssinica</i> & var. <i>montana</i> ) [= <i>H. trifoliata</i> (H.L.Wendl.) Eckl.& Zeyh.]	sct	Afromontane/Zambeian linking	1						O						
Salicaceae	<i>Homalium dentatum</i> (Harv.) Warb. [incl. <i>H. chasei</i> Wild]	sct	Eastern endemic	2				O							O	
Phyllanthaceae	<i>Hymenocardia ulmoides</i> Oliv.	sct	Guineo-Congolian linking	2												O
Clusiaceae	<i>Hypericum revolutum</i> Vahl	s	Afromontane endemic	11	X	O	O		O							

Family	Species [initial recorded name]	life form	chorological element	# plots in which found	Forest types											
					1	2	4	5	6	7	8	9	10	11	12	
Aquifoliaceae	<i>Ilex mitis</i> (L.) Radlk. var. <i>mitis</i>	sct	Afromontane near-endemic <sup>1</sup>	42	X	X	X	O	X	X				O		
Meliaceae	<i>Khaya anthotheca</i> (Welw.) C.DC. [= <i>K. nyasica</i> Baker f.]	em, ct	Guineo-Congolian linking	14										X	X	
Achariaceae	<i>Kiggelaria africana</i> L.	sct	Afromontane endemic	41	O	X	X	O	O	X	X	O	O			
Anacardiaceae	<i>Lannea schweinfurthii</i> (Engl.) Engl. var. <i>stuhlmannii</i> (Engl.) Kokwaro [= <i>L. stuhlmannii</i> (Engl.) Engl.]	ct	Zambeziian near-endemic <sup>1</sup>	2											O	
Rubiaceae	<i>Lasianthus kilimanscharicus</i> K.Schum. subsp. <i>kilimandscharicus</i>	ust	Afromontane endemic <sup>1</sup>	9	O		O			O						
Meliaceae	<i>Lovoa swynnertonii</i> Baker f.	em, ct	Eastern endemic	7										O		
Euphorbiaceae	<i>Macaranga capensis</i> (Baill.) Sim	sct	Eastern endemic	13										O	O	
Euphorbiaceae	<i>Macaranga mellifera</i> Prain	sct	Afromontane endemic	101	X	O	X	X	X	X	X	X	X	X		
Myrsinaceae	<i>Maesa lanceolata</i> Forssk.	sct	Afromontane near-endemic	47	X	O	X	X	X	O	O	O		O		
Sapotaceae	<i>Manilkara discolor</i> (Sond.) J.H.Hemsl.	sct	Sub-Afromontane near-endemic	3				O						O	O	
Chrysobalanaceae	<i>Maranthes goetzeniana</i> (Engl.) Prance	ct	Eastern endemic	29										X	X	
Phyllanthaceae	<i>Margaritaria discoidea</i> (Baill.) G.L.Webster var. <i>fagifolia</i> (Pax) Radcl.-Sm. [= <i>Phyllanthus discoideus</i> (Baill.) Müll.Arg.]	ct, sct	Guineo-Congolian linking <sup>1</sup>	28			O	O	O	O		O		O		
Bignoniaceae	<i>Markhamia obtusifolia</i> (Baker) Sprague	sct	Zambeziian near-endemic	2											O	
Bignoniaceae	<i>Markhamia zanzibarica</i> (DC.) K.Schum. [= <i>M. acuminata</i> (Klotzsch) K.Schum.]	sct	African linking	2											O	
Apocynaceae	<i>Mascarenhasia arborescens</i> A.DC.	ust	Eastern endemic	5											O	
Celastraceae	<i>Maytenus chasei</i> N.Robson	s	Afromontane endemic	3				O		O						
Moraceae	<i>Milicia excelsa</i> (Welw.) C.C.Berg [= <i>Chlorophora excelsa</i> (Welw.) Benth.& Hook.f.]	ct	Guineo-Congolian linking	2											O	
Fabaceae: Papilionioideae	<i>Millettia stuhlmannii</i> Taub.	ct, sct	Eastern endemic	15											X	
Sapotaceae	<i>Mimusops zeyheri</i> Sond.	sct	Zambeziian near-endemic	12					O					O	O	
Myricaceae	<i>Morella pilulifera</i> (Rendle) Killick [= <i>Myrica pilulifera</i> Rendle]	ust	Afromontane near-endemic	12	O		O	O	O	O						
Urticaceae	<i>Myrianthus holstii</i> Engl.	sct	Afromontane endemic	46			O	O	O	X	O	O	X	X		





Family	Species [initial recorded name]	life form	chorological element	# plots in which found	Forest types											
					1	2	4	5	6	7	8	9	10	11	12	
Sapotaceae	<i>Pouteria adolfi-friedericii</i> (Engl.) A.Meeuse subsp. <i>australis</i> (J.H.Hemsl.) L.Gaut. [= <i>Aningeria adolfi-friedericii</i> (Engl.) Robyns & Gilbert]	ct	Afromontane endemic <sup>2</sup>	4									X	X		
Rosaceae	<i>Prunus africana</i> (Hook.f.) Kalkman	ct	Afromontane near-endemic	18	O	X		O	O	O			O		O	
Rubiaceae	<i>Psychotria zombamontana</i> (Kuntze) E.M.A.Petit	ust	Afromontane endemic	39	O	O	O	O	O	O	O		O			
Rubiaceae	<i>Psydrax obovata</i> (Eckl.& Zeyh.) Bridson subsp. <i>elliptica</i> Bridson [= <i>Canthium obovatum</i> Klotzsch]	sct	Afromontane endemic	2		O	O									
Rubiaceae	<i>Psydrax parviflora</i> (Afzel.) Bridson subsp. <i>chapmanii</i> Bridson [= <i>Canthium vulgare</i> (K.Schum.) Bullock]	ct	Guineo-Congolian linking <sup>1</sup>	14						O				O		
Combretaceae	<i>Pteleopsis myrtifolia</i> (M.A.Lawson) Engl.& Diels	ct	Zambeziian near-endemic	6											O	
Fabaceae: Papilionoideae	<i>Pterocarpus rotundifolius</i> (Sond.) Druce subsp. <i>rotundifolius</i>	ct	Zambeziian near-endemic <sup>2</sup>	1											O	
Celastraceae	<i>Pterocelastrus echinatus</i> N.E.Br.	ust	Afromontane endemic	33	O		X	O	O	X				O		
Rubiaceae	<i>Pyrostria bibracteata</i> (Baker) Cavaco	s	Eastern endemic	1											O	
Myrsinaceae	<i>Rapanea melanophloeos</i> (L.) Mez	sct	Afromontane near-endemic	76	X	O	X	X	X	X	O			O	O	
Apocynaceae	<i>Rauvolfia caffra</i> Sond.	sct	Guineo-Congolian linking	10						O		X	X	O		
Achariaceae	<i>Rawsonia lucida</i> Harv.& Sond.	sct	Afromontane near-endemic	45			O	O	O	O	X			O		
Violaceae	<i>Rinorea arborea</i> (Thouars) Baill.	ust	Eastern endemic	1											O	
Violaceae	<i>Rinorea convallarioides</i> (Baker f.) Eyles subsp. <i>convallarioides</i>	ust	Eastern endemic <sup>2</sup>	2						O					O	
Capparaceae	<i>Ritchiea albersii</i> Gilg	ust	Afromontane endemic	6					O	O	X					
Rubiaceae	<i>Rothmannia urcelliformis</i> (Hiern) Robyns	sct	Guineo-Congolian linking	20				O	O	O	O		O	O		
Araliaceae	<i>Schefflera umbellifera</i> (Sond.) Baill.	sct	Afromontane endemic	53	X	X	X	X	X	O			O	O	O	
Oleaceae	<i>Schrebera alata</i> (Hochst.) Welw.	sct	Afromontane near-endemic	6				O		O				O	O	
Salicaceae	<i>Scolopia mundii</i> (Eckl.& Zeyh.) Warb.	ust	Afromontane endemic	1		O										
Salicaceae	<i>Scolopia stolzii</i> Gilg & Sleumer	ust	Afromontane near-endemic	7				O		O				O		
Salicaceae	<i>Scolopia zeyheri</i> (Nees) Harv.	ust	Afromontane near-endemic	2						X						



Family	Species [initial recorded name]	life form	chorological element	# plots in which found	Forest types											
					1	2	4	5	6	7	8	9	10	11	12	
Myrtaceae	<i>Syzygium chimanimaniense</i> Byng [= <i>S. masukuense</i> (Baker) R.E.Fr. subsp. <i>pachyphyllum</i> F.White]	ct	Afromontane endemic	22	X		X	O	O	O				O		
Myrtaceae	<i>Syzygium guineense</i> (Willd.) DC. subsp. <i>afromontanum</i> F.White [= <i>S. gerrardii</i> (Hook.f.) Burt Davy]	ct	Afromontane near-endemic <sup>2</sup>	75	O	O	X	X	X	X	O		O	X	O	
Myrtaceae	<i>Syzygium owariense</i> (P.Beauv.) Benth.	sct	Guineo-Congolian linking	4										O	O	
Apocynaceae	<i>Tabernaemontana stapfiana</i> Britten [= <i>T. angolensis</i> Stapf]	sct	Afromontane endemic	65	X		X	X	X	X	X	O		O		
Apocynaceae	<i>Tabernaemontana ventricosa</i> A.DC.	sct	Guineo-Congolian linking	34										O	O	
Euphorbiaceae	<i>Tannodia swynnertonii</i> (S.Moore) Prain	sct	Eastern endemic	13										X		
Rubiaceae	<i>Tarenna pavettoides</i> (Harv.) Sim subsp. <i>affinis</i> (K.Schum.) Bridson [= <i>Pavetta swynnertonii</i> S.Moore]	ust	Eastern endemic <sup>2</sup>	34				O		O		O	O	O	O	
Combretaceae	<i>Terminalia gazensis</i> Baker f.	ct	Zambeziian endemic	1											O	
Ulmaceae	<i>Trema orientalis</i> (L.) Blume	sct	Guineo-Congolian linking	5						O		O		O		
Rubiaceae	<i>Tricalysia coriacea</i> (Benth.) Hiern subsp. <i>angustifolia</i> (J.G.Garcia) Robbr. [= <i>T. nyassae</i> Hiern]	ust	Guineo-Congolian linking <sup>2</sup>	1											O	
Rubiaceae	<i>Tricalysia pallens</i> Hiern [incl. <i>T. capensis</i> sensu Muller]	ust	Guineo-Congolian linking	21				O	O	O			O	O	O	
Meliaceae	<i>Trichilia dregeana</i> Sond.	ct	Sub-Afromontane near-endemic	26										X	O	
Moraceae	<i>Trilepisium madagascariense</i> DC. [= <i>Bosquiea phoberos</i> Baill.]	sct	Guineo-Congolian linking	40				O				O	O	O	X	
Salicaceae	<i>Trimeria grandifolia</i> (Hochst.) Warb. subsp. <i>tropica</i> (Burkill) Sleumer	ust	Afromontane endemic <sup>2</sup>	26		X	O	O	O	O				O	O	
Phyllanthaceae	<i>Uapaca lissopyrena</i> Radcl.-Sm. [= <i>U. sp. no 1</i> ]	ct	Zambeziian endemic	5											X	
Rubiaceae	<i>Vangueria apiculata</i> K.Schum.	s	Afromontane endemic	1				O								
Rubiaceae	<i>Vangueria esculenta</i> S.Moore	ust	Sub-Afromontane endemic	31	O		O	O	O	O				O		
Rutaceae	<i>Vepris bachmannii</i> (Engl.) Mziray [= <i>Oricia bachmannii</i> (Engl.) I.Verd.]	sct	Sub-Afromontane endemic	44			O	X	O	X	X		O	O		

